



Dragon Medical Practice Edition, Version 2.2

Release Notes

Copyright

2014. Dragon Medical Practice Edition

Copyright © 2002-2014 Nuance Communications, Inc. All rights reserved.

Nuance, ScanSoft, the Nuance logo, the Dragon logo, Dragon, DragonBar, NaturallySpeaking, NaturallyMobile, RealSpeak, Nothing But Speech (NBS), Natural Language Technology, Select-and-Say, MouseGrid, and Vocabulary Editor are registered trademarks or trademarks of Nuance Communications, Inc. in the United States or other countries. All other names and trademarks referenced herein are trademarks of Nuance Communications or their respective owners. Designations used by third-party manufacturers and sellers to distinguish their products may be claimed as trademarks by those third-parties.

Updated 11/24/2014

L-3801

Contents

- Overview of Dragon Medical Practice Edition, Version 2.2 2
- About this release..... 2
- Upgrading Dragon Medical Practice Edition..... 3
- Additional information about installing Dragon Medical Practice Edition 2.2 4
- Updated hardware requirements for remote desktop use 4
- What's new for Providers in Dragon Medical Practice Edition 2.2 5
- What's new for Administrators in Dragon Medical Practice Edition 2.2..... 6
- Known issues and fixes in Dragon Medical Practice Edition 2.2..... 6
- Product build numbers 10

Overview of Dragon Medical Practice Edition, Version 2.2

Version 2.2 is the newest release of Dragon Medical Practice Edition - Nuance's leading speech-recognition and reporting solution for medical professionals. This release provides many enhancements and fixes for customers.

Dragon Medical Practice Edition 2.2 is released for US English only, and is available as both a full client installation and a service pack upgrade. This software is available to customers through one of the methods below:

- Voluntary, automated upgrade from the Dragon Software Manager, available for all US English customers.
- Download from the Dragon Medical iSupport portal for customers with an active maintenance contract that entitles them to this release. For details, visit <https://isupport.nuance.com> and view iSupport solution 14640.
- DVD media request from the Nuance web page: <http://www.nuance.com/support/request-replacement-media/index.htm>.

About this release

Product:	Dragon Medical Practice Edition version 2.2
Software version:	12.52.350.048 US English, copy protected For additional software versions, see the Build Number Table at the end of this document.
Where to download:	Obtain the software via download from iSupport Solution 14640.
Software provided:	<p>Full build:</p> <ul style="list-style-type: none"> • Dragon Medical Practice Edition version 2.2 • Dragon Client for Remote Desktop <p>If you will be running Citrix, you'll need to install these additional files, which are not automatically installed by the Dragon Medical Practice Edition 2.2 full build installer:</p> <ul style="list-style-type: none"> • vddnspatch2.exe • PowerMic Citrix Extension Client.msi • PowerMic Citrix Extension Server.msi <p>Service Pack update:</p> <ul style="list-style-type: none"> • Dragon Medical Practice Edition version 2.2 Service Pack (DMPE2DOT2.exe) • Dragon Client for Remote Desktop • To use Citrix, install the following Citrix extensions: <ul style="list-style-type: none"> ▪ vddnspatch2.exe ▪ PowerMic Citrix Extension Client.msi ▪ PowerMic Citrix Extension Server.msi

Supported upgrade paths:	<p>Customers currently running one of the following versions of Dragon Medical Practice Edition can upgrade to version 2.2 via the service pack update:</p> <ul style="list-style-type: none"> • version 2.0 (12.50.650.022) • version 2.1 (12.51.350.006) <p>There is no direct upgrade path from Dragon Medical Practice Edition version 1.0 (11.00.304.530 or 11.00.300.312). If you are using version 1.0, you must first upgrade to Dragon Medical Practice Edition 2.0 before you can install the Dragon Medical Practice Edition 2.2 service pack.</p>
Release-specific comments and notes:	Dragon Medical Practice Edition, version 2.2 includes support for Windows 8.1 .
Software documentation:	To view the latest documentation, see the Dragon Medical Practice edition guides in solution 14526 on iSupport .

Upgrading Dragon Medical Practice Edition

To upgrade to Dragon Medical Practice Edition 2.2 with the service pack update, launch DMPE2DOT2.exe, which you can either download from iSupport Solution 14640 or perform a voluntary, automated upgrade from the Dragon Software Manager.

To use the Dragon Software Manager, follow these steps:

1. Launch Dragon Medical Practice Edition and then go to the Dragon Software Manager and click the checkbox for the 2.2 update in the “New Updates & Messages” field.
2. If you want to install the upgrade immediately, click Install. Otherwise, you can click Download Only, which will download the service pack, DMPE2DOT2.exe, so that you can install it at a later time.

You can click the line for the Dragon Medical Practice Edition 2.2 Service Pack update in the Dragon Software Manager to expand the update entry, then click the Read More link for additional information. A link to this release note is also available from the Dragon Software Manager.

Notes:

- The supported upgrade paths are from Dragon Medical Practice Edition version 2.0 or version 2.1.
- The service pack for version 2.2 does not include updates for language or acoustic models.

Additional information about installing Dragon Medical Practice Edition 2.2

The following information is provided for customers upgrading to version 2.2 from version 2.0.

If you are fixing issue 15174

Issue 15174 involved a problem with the PowerMic control tool that prevented users from restarting their computers. This issue was fixed in Version 2.1, so if you already have Version 2.1 installed, you do not need to read this section.

If you are upgrading from Version 2.0 and you are fixing Issue 15174, there is a new version of the Dragon Client for Remote Desktop that has its own installer, separate from the installer for Dragon Medical Practice Edition 2.2. This new version of the Dragon Client for Remote Desktop updates the PowerMic Control tool. You can also obtain this installer from Solution 14640 on iSupport.

Complete the following steps to install Dragon Client for Remote Desktop and update the PowerMic Control tool:

1. Install the DMPE 2.2 service pack update that is provided for iSupport solution 14640.
2. Check the Windows Control Panel to see if a previous version of the Dragon Client for Remote Desktop is installed. If so, uninstall it.

Note: If Dragon Medical is installed on the client machine, do not uninstall the PowerMic Control tool application.

3. Download the Dragon Client for Remote Desktop from iSupport to a machine where the PowerMic Control Tool will be installed.
4. Navigate to the directory where you saved the download and run **setup.exe** or **dragonclientinstaller.msi**.
5. Configure your PowerMic according to instructions that are available in the *Dragon Medical Practice Edition Administrator's Guide* for version 2.2, which you can download from solution 14526 on [iSupport](#).

Note that you must also follow the instructions on configuring button support for your PowerMic, which are in the "Using the PowerMic through a remote desktop connection" section of the Administrator's Guide.

Updated hardware requirements for remote desktop use

Before you run Dragon Medical on a Windows server in a Remote Desktop session, please verify that you have the required hardware. The Dragon Medical Practice Edition version 2.2 documentation has been updated to reflect current hardware requirements. For details, see "System Requirements for using Dragon through a remote desktop connection" in the *Dragon Medical Practice Edition Administrator's Guide* for version 2.2, which you can download from solution 14526 on [iSupport](#).

What's new for Providers in Dragon Medical Practice Edition 2.2

New features

Support for Windows 8.1

Dragon Medical Practice Edition 2.2 supports the Windows 8.1 operating system.

Dragon Medical Practice Edition Logging and Protected Health Information

The default logging settings in Dragon Medical products produce log data that complies with privacy standards. However, Dragon Technical Support may instruct you to change these settings to produce logs that provide more information, in order to analyze a problem. As a result, patient relevant data, such as patient name, may be recorded in the log. Therefore, you should only use these logging settings in a test environment, or with test patient data, to ensure compliance with local privacy standards.

When you load your user profile in Dragon Medical Practice Edition 2.2, you'll see a warning dialog if Dragon detects that your current log settings may reveal protected health information, giving you a chance to change those settings first.

- Click **OK** to continue loading your profile, and be aware that PHI may appear in the logs.
- Click **Cancel** to shut down Dragon so you can change the logging settings.

Using the PowerMic in a VMWare Horizon View desktop with the Dictation Box

If you use the PowerMic with VMWare Horizon View desktop, when you use the Dictation Box to dictate into an unsupported edit control (indicated with a gray checkmark/dot next to the microphone meter on the DragonBar), these button settings will apply:

- **"Transcribe" button** - Press to open the Dictation Box
- **"Enter/Select" button** - Press to transfer text.

Using the PowerMic navigation button during profile creation

When you are creating a new user profile and you use the PowerMic button to proceed to the Audio Setup Wizard, Dragon may hang, requiring you to force-quit Dragon. This issue was caused by a flaw in a previous Microsoft Windows Security update. It was resolved in the Windows Security Update that Microsoft pushed to users on October 14, 2014.

If you encounter this problem, please verify that you have installed the most current Windows Update. If not, you can resolve the immediate problem by exiting out of Dragon via the Windows Task Manager and restarting Dragon Medical Practice Edition. If the profile you were creating was saved, you can open it and complete the Audio Setup Wizard. Otherwise, you'll need to re-create the user profile first, but in either case, refrain from using the PowerMic buttons to navigate through the user profile setup screens until after you've installed the Windows Update.

What's new for Administrators in Dragon Medical Practice Edition 2.2

New features
<p>Automatically advance to the first form field</p> <p>You can make Dragon advance to the first form field by default. To enable this feature, in the Options Commands Tab, select 'Enable Automatically select first field'.</p>
<p>Using Dragon Medical Practice Edition through a remote desktop connection on Windows Server 2012 R2</p> <p>Dragon Medical Practice Edition 2.2 can be installed on Windows Server 2012 R2 and accessed through a Remote desktop connection. For details, see the <i>Dragon Medical Practice Edition Administrator's Guide</i> for version 2.2, which you can download from solution 14526 on iSupport.</p>
<p>Support for edit controls</p> <p>Dragon Medical Practice Edition 2.2 provides support for the following edit controls:</p> <ul style="list-style-type: none"> • TERN16 for Allscripts • TERN21 • TX19/TXedit19 • Epic 2014 Hyperspace (local only) • McKesson Paragon (Paragon greater than 11.1.775, 11.2.413, 12.0.665). <p>For details, see 'Supported Edit controls' in the <i>Dragon Medical Practice Edition Administrator's Guide</i> for version 2.2, which you can download from solution 14526 on iSupport.</p>

Known issues and fixes in Dragon Medical Practice Edition 2.2

Issue	In-Depth Description
<p>Issue 15174 - PowerMic blocks computer restart.</p>	<p>Issue The PowerMic control tool prevents the computer from restarting.</p> <p>New behavior The PowerMic control tool no longer prevents the computer from restarting.</p> <p>Implementing This Fix Complete the following steps to implement this fix:</p> <ol style="list-style-type: none"> 1. Download the new version of the Dragon Client for Remote Desktop to the machine where you will install the PowerMic Control tool. This software is provided with the Dragon Medical Practice Edition 2.2 installer. You can also get it from Solution 14640 on iSupport.

Issue	In-Depth Description
	<p>2. Install and configure the Dragon Client for Remote Desktop software to work with the PowerMic.</p> <p>The PowerMic is used to work with buttons on the PowerMic dictation device with Windows Remote Desktop when the full installation of DMPE 2.2 resides on a Windows Server 2012 or 2008 R2 (or Windows 7 Ultimate) machine.</p> <p>Install and configure the Dragon Client for Remote Desktop and configure the PowerMic control tool according to instructions in the <i>Dragon Medical Practice Edition Administrator's Guide</i> for version 2.2, which you can download from solution 14526 on iSupport.</p> <p>Note that you must also follow the instructions on configuring button support for your PowerMic, which are in the "Using the PowerMic through a remote desktop connection" section of the Administrator's Guide.</p>
<p>Issue 17294 - Remote Desktop hardware requirements</p>	<p>Issue The Dragon Medical Practice Edition 2.0 documentation did not address new hardware requirements for remote desktop use.</p> <p>New behavior The Dragon Medical Practice Edition 2.2 documents have been updated to reflect the current hardware requirements for remote desktop use.</p>
<p>Issue 16837 - Jumping cursor in NexTech Practice Management</p>	<p>Issue Customers experienced a jumping cursor issue when using Dragon Medical Practice Edition in NexTech Practice Management.</p> <p>New behavior The jumping cursor issue has been resolved.</p>
<p>Issue 17988 – Cursor problem with transcribed recordings in Dictation Box</p>	<p>Issue Customers reported problems with cursor behavior, after adding a period to text in the Dictation Box that was inserted using the Transcribe Recording feature.</p> <p>New behavior The cursor problem has been resolved.</p>
<p>Issue 19597 - Jumping cursor in EHR-RPMS.</p>	<p>Issue Customers experienced a jumping cursor issue in EHR-RPMS and in CPRS-VistA.</p> <p>New behavior The jumping cursor issue has been resolved.</p>
<p>Issue 24054 - Problems with Playback in Word 2013</p>	<p>Issue Playback was functioning unpredictably and causing the cursor to jump unexpectedly, when used with dictated text in Microsoft Word 2013.</p> <p>New behavior Playback issues have been fixed.</p>
<p>Issue 25287 - Jumping cursor during Playback</p>	<p>Issue Playback was functioning unpredictably and causing the cursor to jump unexpectedly, when used with dictated text in Microsoft Word 2013.</p>

Issue	In-Depth Description
with Microsoft Word 2013	<p>New behavior Playback issues have been fixed.</p>
Issue 19314- Playback problem after reopening dictated text	<p>Issue Playback was functioning unpredictably, highlighting phrases and multiple-word utterances instead of individual words when customers reopened a previously saved and closed document. As a result, users could not access the Correction or Spelling windows to perform edits on individual words.</p> <p>New behavior The issue is resolved in Dragon Medical Practice Edition 2.2. Dragon highlights each individual word during playback.</p>
Issue 22738 - Playback problems after closing/reopening dictated text	<p>Issue Playback was functioning unpredictably, highlighting phrases and multiple-word utterances instead of individual words when customers reopened a previously saved and closed document. As a result, users could not access the Correction or Spelling windows to perform edits on individual words.</p> <p>New behavior The issue is resolved in Dragon Medical Practice Edition 2.2. Dragon highlights each individual word during playback.</p>
Issue 20783 - Unable to launch Dragon in Citrix	<p>Issue Dragon Medical Practice Edition would not launch when there was an incompatible Citrix component installed (WFAPI.DLL). This component also prevented customers from selecting a PowerMic as the dictation source when creating a user profile.</p> <p>New behavior On launch, if Dragon detects the presence of the incompatible Citrix file, it will continue to launch, with Citrix access disabled.</p>
Issue 23953 - Auto-Hide Delay settings	<p>Issue When dictating, the behavior of the Results Box did not comply with the Auto-Hide Delay setting on the Options View tab. The Results Box closed when the user released the microphone record button, regardless of the Auto-Hide Delay setting.</p> <p>New behavior The Auto-Hide Delay behavior of the Results Box matches the setting on the Options View tab.</p>
Issue 24762 - Frequent crashes when dictating into TRAKnet EMR	<p>Issue Frequent crashes occurred when dictating into TRACKnet as a result of issues with DRA outcast files.</p> <p>New behavior Dragon no longer creates DRA outcast files.</p>
Issue 24810 - Multiple reports of frequent crashes	<p>Issue Frequent crashes occurred due to issues with DRA outcast files.</p> <p>New behavior Dragon no longer creates DRA outcast files.</p>
Issue 24958 - Frequent crashes when using Dragon	<p>Issue Frequent crashes occurred when using Dragon Medical Practice Edition in GE Centricity, as a result of issues with DRA outcast files.</p>

Issue	In-Depth Description
Medical Practice Edition in GE Centricity	<p>New behavior Dragon no longer creates DRA outcast files.</p>
Issue 26565 - Incorrect results when using custom commands	<p>Issue Customers reported that Dragon was inserting incorrect text when they dictated macro commands. The issue arises when loading different user profiles.</p> <p>New behavior Custom macro commands execute correctly in Dragon Medical Practice Edition 2.2.</p>
Issue 27399 - Crashes when editing a document transcribed from audio file	<p>Issue Customers reported Dragon crashing when a user edited portions of a file that had been transcribed from an audio file.</p> <p>New behavior Identified and fixed cause of these crashes in Dragon Medical Practice Edition 2.2.</p>
Issue 27461 - Issue with Full Text Control and Windows Presentation Framework	<p>Issue When dictating into an application that uses Windows Presentation Framework, Dragon's Full Text Control feature was not available until a user first switched focus away from the target application, and then switched focus back to it.</p> <p>New behavior Identified and fixed the problem in Dragon Medical Practice Edition 2.2.</p>
Issue 27538 - Problems dictating into applications under Windows Presentation Framework	<p>Issue Users were unable to dictate into applications that use Windows Presentation Framework, because Dragon's Full Text Control feature was not available.</p> <p>New behavior Identified and fixed the problem in Dragon Medical Practice Edition 2.2.</p>
Issue 27477 - Crashes when opening Tip of the Day	<p>Issue Internet Explorer 11 caused Dragon to crash when users opened the Tip of the Day window.</p> <p>New behavior The issue is resolved after installing the Microsoft Windows Update of 10/14/14.</p>

Product build numbers

The following table summarizes the builds that are part of different releases of Dragon Medical Practice Edition.

Dragon Medical Practice Edition, Version 2.x Releases

Product version	Build Number
2.2 Available as both a full build and as a service pack.	12.52.350.048
2.1 Available as a service pack only.	12.51.350.006
2.0 Available as a full build only.	12.50.350.022

How to find the Dragon Medical Practice Edition build number

Method 1:

On the DragonBar, click **Help > About Dragon**.

Method 2:

1. In the Start Menu, select **All Programs > Dragon Medical Practice Edition > Show Dragon Log**, or, if you are running Windows 8 or newer, go to the Apps view and click the "Show Dragon Log" icon. If you have the Apps view set to show icons in groups, this icon will be in the Dragon Medical Practice Edition group. For this to work, you must be logged in to Windows under the Dragon user's account.
2. Open the dragon.log file. The build number is the value to the right of "Dragon Medical Version".

Method 3:

Use Windows Explorer to locate and open the dragon.log file. The build number is the value to the right of "Dragon Medical Version".

- For Windows Vista, Windows 7, Windows 8.x, or Windows Server 2008, look here:

```
C:\Users\<<WindowsUsername>\AppData\Roaming\Nuance\NaturallySpeaking12\Dragon.log
```

- For Windows XP, look here:

```
C:\Documents and Settings\<<user_account_login>\Application Data\Nuance\NaturallySpeaking12\Dragon.log
```